

# Choose Technidyne Subscription Services for Optimal Performance and Compliance with National and International Standards!

Technidyne will not accept orders without shipping charges added. Only add shipping once per order.

"Monthly" Standards deliver 12 times per year, January through December. "Quarterly" Standards deliver 4 times per year, January, April, July and October. We accept Mastercard and Visa, as well as purchase orders for most customers.

Please visit <a href="https://www.technidyne.com/how-to-videos">https://www.technidyne.com/how-to-videos</a> for instrument specific calibration instructions.

### ColorTouch® X ISO Calibration Standards

This standard works with all stand-alone ColorTouch® devices, the Technidyne Micro TB-1C, Elrepho and Minolta CM-3630

		-
	Primary Calibration and Verification	
<u> </u>	CXIELS25M Monthly \$3300	
	CXIELS25Q Quarterly \$1670	
	CXIELS251 One-Time \$700	
		<u> </u>

Primary Calibration and Verification w/ERIC (950)	Diffuse (ISO) Opacity Calibration Verification
CXIRLS25M Monthly \$3800	OPIETB22M Monthly \$1830
CXIRLS25Q Quarterly \$1955	OPIETB22Q Quarterly \$945
CXIRLS251 One-Time \$700	OPIETB221 One-Time \$700

### PROFILE/Plus® ColorTouch® ISO Calibration Standards



	Primary Calibration and
Verification	Verification w/ERIC (950)

ACIETB25M Monthly \$3300 | ACIRTB25M Monthly \$3800

ACIETB25Q Quarterly \$1670 ACIRTB25Q Quarterly \$1955

ACIETB251 One-Time \$700 | ACIRTB251 One-Time \$700

\*PRICES ARE EFFECTIVE SEPTEMBER 1, 2021. PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. Visit <a href="https://www.Technidyne.com/shop">www.Technidyne.com/shop</a> for online ordering. Subscription standards are sold on a 12-month basis only. Technidyne will not offer partial year subscriptions. Technidyne may offer subscriptions services for periods longer than one year, in single year increments. Please call to arrange multi-year subscriptions.



### TEST/Plus® ISO Brightness and Technidyne TB-1 Calibration Standards



#### Primary Calibration and Verification

TBIETB25M Monthly \$1960

TBIETB25Q Quarterly \$980

TBIETB251 One-Time \$700

### ColorTouch® X 45 – TAPPI Brightness & Color Calibration Standards

\*TAPPI Brightness is also known as "45"/0" Brightness", "GE Brightness" and "Directional Brightness"



### Primary Calibration and Verification

C4TETB25M Monthly \$3695

C4TPWG22 CTX45 Working Standard (TILE) - \$200

# Technidyne TEST/Plus® TAPPI Brightness, Micro S-5, S-4\*

\*TAPPI Brightness is also known as "45°/0° Brightness", "GE Brightness" and "Directional Brightness"



TAPPI Brightness & Color Calibration	TAPPI Brightness Calibration	Fluorescence Verification	TAPPI Brightness Tissue
BCTETB12M Monthly \$2670	BRTETB12M Monthly \$1925	FWTETB12M Monthly \$1245	BRTETI44M Monthly \$1245
BCTETB12Q Quarterly \$1375	BRTETB12Q Quarterly \$995	FWTETB12Q Quarterly \$890	BRTETI44Q Quarterly \$890
BCTETB121 One-Time \$700	BRTETB121 One-Time \$700	FWTETB121 One-Time \$700	BRTETI441 One-Time \$700



# PROFILE/Plus® TAPPI Brightness Calibration Standards



#### TAPPI Brightness Calibration

BRTETB85M Monthly \$2940

BRTETB85Q Quarterly \$1540

BRTETB851 One-Time \$700

# TEST/Plus® Opacity (TAPPI), BNL-3, BNL-2, Micro S-5 with Opacity



### TAPPI Opacity Calibration

OPTETB25M Monthly \$1960

OPTETB25Q Quarterly \$980

OPTETB251 One-Time \$700

# PROFILE/Plus® Opacity (TAPPI)



#### **TAPPI Opacity Calibration**

OPTETB85M Monthly \$2715

OPTETB85Q Quarterly \$1300

OPTETB851 One-Time \$700

### Test/Plus® Gloss 75°

### PROFILE/Plus® Gloss 75° T480 Gloss 75°



#### 75° Gloss Calibration

TGT7TB85M Monthly \$1300

TGT7TB85Q Quarterly \$900

TGT7TB851 One-Time \$700



#### 75° Gloss Calibration

GLTETB85M Monthly \$2050

GLTETB85Q Quarterly \$1090

GLTETB851 One-Time \$700




#### 75° Gloss Calibration

GLTETB44M Monthly \$1280

GLTETB44Q Quarterly \$900

GLTETB441 One-Time \$700

### PROFILE/Plus® Print-Surf, Other Parker Print Surf Instruments



#### Print-Surf Paper Calibration with Backing Assembly

PPTETB85M Monthly \$4210

PPTETB85Q Quarterly \$2350

PPTETB851 One-Time \$700

#### Print-Surf Paper Calibration without Backing Assembly

PBTETB85M Monthly \$2675

PBTETB85Q Quarterly \$1435

PBTETB851 One-Time \$700



### PROFILE/Plus® Burst, Other Burst Instruments



Bursting Strength Calibration Verification, <u>PAPER</u> (Low, Medium & High ranges)

Technidyne PROFILE/Plus ABU, All Other Bursting Strength Instruments

BUXUFPM Monthly \$1795

BUXUFPQ Quarterly \$480

BUXUFP1 One-Time \$180

Bursting Strength Calibration Verification, <u>BOARD</u> (Low, Medium & High ranges)

Technidyne PROFILE/Plus ABU-Board, All Other Bursting Strength Instruments

BUXUFBM Monthly \$3500

BUXUFBQ Quarterly \$935

BUXUFB1 One-Time \$340

Bursting Strength Calibration Verification, <u>PAPER</u> (Individual Range)

\$70/each One-Time

Item # psi PABUSTD0010 - Paper 6-12 PABUSTD0020 - Paper 12-20 PABUSTD0030 - Paper 20-30 PABUSTD0040 - Paper 30-60 PABUSTD0080 - Paper 60-75 PABUSTD0050 - Paper 75-100 PABUSTD0060 - Paper 100-140

PABUSTD0070 - Paper 140-180

Bursting Strength Calibration Verification, <u>BOARD</u> (Individual Range)

\$70/each One-Time

Item # psi PABUSTD0100 - Board 40-70 PABUSTD0110 - Board 70-90 PABUSTD0120 - Board 90-130 PABUSTD0130 - Board 130-160 PABUSTD0140 - Board 160-200 PABUSTD0150 - Board 200-250 PABUSTD0160 - Board 250-300

### **Emtec Tissue Softness Analyzer (TSA)**



Call (812) 948-2884 or

EMAIL:

lab@technidyne.com

for up-to-date pricing

## MorFi (Pulp morphology)



Calibration Fiber, 25g bottle
TCPMOSTD0030 \$200



### **REFERENCE STANDARDS**

Technidyne Reference Standards are durable products that can be used for various calibration related functions with your Technidyne equipment. Some products may work with other manufacturers' devices. Please contact the Technidyne Laboratory or your Sales and Service representative. (Technidyne Reference Standards should be inspected and certified annually. See below for more recertification prices. You must obtain a Return Authorization from Technidyne prior to shipment for recertification services.)

### **Color Tiles**





D/0° Diffuse (ISO) Brightness and Color Evaluation (Source C IL/OB D65/10°)\*

	P/N	ColorTouch® X	P/N	Unevaluated
90 Range White Ceramic	CXIE9022	OUT OF STOCK	XXIU9022	OUT OF STOCK
80 Range White Ceramic	CXIE8022	\$370	XXIU8022	\$290
70 Range Cream Ceramic	CXIE7022	\$370	XXIU7022	\$290
50 Range Yellow Ceramic	CXIE5022	\$370	XXIU5022	\$290
Pastel Blue Ceramic	CXIEPB22	\$370	XXIUPB22	\$290
Pastel Green Ceramic	CXIEPG22	\$370	XXIUPG22	\$290
Gray Ceramic	CXIEGY22	\$370	XXIUGY22	\$290
Pink Ceramic	CXIEPK22	\$370	XXIUPK22	\$290
Newsprint	CXIENP22	\$370	XXIUNP22	\$290
20 Range Kraft Ceramic	CXIEKC22	\$370	XXIUKC22	\$290
Storage Case- holds eight 2" x 2" or 1" x 2" standards			PMTBASR0040	\$175

<sup>\*</sup>Other Source/IL/OB options available on request.

<sup>\*</sup>Evaluated color tiles should not be used for primary calibration of D/0° Diffuse (ISO) Brightness and Color Instruments, like the Technidyne ColorTouch® X.

<sup>\*</sup>For primary calibration of D/0° Diffuse (ISO) Brightness and Color devices order ColorTouch® X calibration standards (page 1 of this catalog.)







### 45°/0° Directional (TAPPI) Evaluation: MICRO S-5

	P/N	<u>Evaluated</u>	P/N	<u>Unevaluated</u>
90 Range White Ceramic	BCTE9012	OUT OF STOCK	XXTU9012	OUT OF STOCK
80 Range White Ceramic	BCTE8012	\$370	XXTU8012	\$290
70 Range Cream Ceramic	BCTE7012	\$370	XXTU7012	\$290
50 Range Yellow Ceramic	BCTE5012	\$370	XXTU5012	\$290
Pastel Blue Ceramic	BCTEPB12	\$370	XXTUPB12	\$290
Pastel Green Ceramic	BCTEPG12	\$370	XXTUPG12	\$290
Gray Ceramic	BCTEGY12	\$370	XXTUGY12	\$290
Pink Ceramic	BCTEPK12	\$370	XXTUPK12	\$290
Newsprint	BCTENP12	\$370	XXTUNP12	\$290
20 Range Kraft Ceramic	BCTEKC12	\$370	XXTUKC12	\$290
Storage Case- holds eight 2" x 2" or 1" x 2" standards			PMTBASR0040	\$175

### **OPACITY**



Opacimeter BNL-2, BNL-3 and MICRO S-5 with Opacity, PROFILE/Plus® Opacity, TEST/Plus® Opacity

	<u>P/N</u>	<u>Evaluated</u>
One Opal Glass Opacity Standard, 72 +/- 4% - 2" x 2" in storage case.*	OPTEGL2272	\$495
One Opal Glass Opacity Standard, 78 +/- 4% - 2" x 2" in storage case *	OPTEGL2278	\$495
One Opal Glass Opacity Standard, 85 +/- 4% - 2" x 2" in storage case.*	OPTEGL2285	\$495
One Opal Glass Opacity Standard, 91 +/- 4% - 2" x 2" in storage case.*	OPTEGL2291	\$495
Storage Case	PBN3ASR0020	\$175

<sup>\*</sup>An adaptor may be required for use with some Technidyne Opacimeters. For inquiries call Technidyne Lab at (812) 948-2284 ext. 114.



#### **ABSOLUTE REFLECTANCE**



Opacimeter BNL-2, BNL-3 and MICRO S-5 with Opacity, PROFILE/Plus® Opacity, TEST/Plus® Opacity

	P/N	Evaluated	<u>P/N</u>	<u>Unevaluated</u>
Absolute Reflectance/ Scattering Standard 2" x 5" (Ceramic evaluated at 572 nm)	OPTEAB25	\$600	XXTUAB25	\$375
Storage Case- Holds six opacity/absolute reflectance standards			PBN3ASR0020	\$175

#### **Gloss**



Technidyne Standard - Glossmeter T480 and T480A (75°, 20° and 75/20°)

	<u>P/N</u>	Evaluated at 75° or 20°	<u>P/N</u>	Evaluated at 75° & 20°
High Gloss Black Glass - Primary Standard	GLT7HB22	OUT OF STOCK	GLT9HB22	OUT OF STOCK
High Gloss White Glass	GLT7HW22	OUT OF STOCK	GLT9HW22	OUT OF STOCK
High Gloss Black Glass - Cross-Check Standard	GLT7HC22	OUT OF STOCK	GLT9HC22	OUT OF STOCK

### T480 2"x2" Square Tiles are CURRENTLY UNAVAILABLE - REPLACEMENT ITEMS ARE 2" Round Tiles - SEE BELOW



### Technidyne Standard - PROFILE/Plus® Gloss 75°, TEST/Plus® Gloss (75°, 20°) – 2" Round Tiles

	P/N	Evaluated
High Gloss Black Glass - Primary or Cross-Check Std, PROFILE/Plus® Gloss TAPPI 75°	AGT7HB22	\$500
High Gloss Black Glass with Mounting plate, PROFILE/Plus® Gloss TAPPI 75°	AGT7HP22	\$850
High Gloss Black Glass – TEST/Plus® Gloss TAPPI 75°	TGT7HB22	\$500
High Gloss Black Glass – TEST/Plus® Gloss TAPPI 20°	TGT2HB22	\$500
High Gloss Black Glass – Evaluated for TAPPI 75° & TAPPI 20°		\$850

\*PRICES ARE EFFECTIVE SEPTEMBER 1, 2021. PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. Visit <a href="https://www.Technidyne.com/shop">www.Technidyne.com/shop</a> for online ordering. Subscription standards are sold on a 12-month basis only. Technidyne will not offer partial year subscriptions. Technidyne may offer subscriptions services for periods longer than one year, in single year increments. Please call to arrange multi-year subscriptions.



#### **Fluorescence**



MICRO S-5

45°/0° Directional (TAPPI) - 1" Square Fluorescent Standards

White Acrylic Fluorescent Standard	Fluorescent Component	<u>P/N</u>	<u>Unevaluated</u>
FW14	8-11	XXTU1411	\$230
FW12	5-7	XXTU1211	\$230
FW9 **	0	XXTU0911	\$230
Storage Case		PMS5ASR0030	\$ 175

<sup>\*\*</sup> FW9 standards are only to be used with Technidyne "Micro" instruments.

#### MICRO TB-1C

D/0° Diffuse (ISO) 2" Square Fluorescent Standards

<u>P/N</u>	<u>Unevaluated</u>
XXIU1422	\$230
XXIU1222	\$230
XXIU0922	\$230
PMS5ASR0030	\$175
	XXIU1422 XXIU1222 XXIU0922

<sup>\*\*</sup> FW9 standards are only to be used with Technidyne "Micro" instruments.



#### **AIR FLOW**





#### Calibrated Restrictor – Technidyne PROFILE/Plus® Roughness

Restrictor Complete Set of 4

Calibration Flow Restrictor Rod – Low Range
Calibration Flow Restrictor Rod – Medium Range
Calibration Flow Restrictor Rod – High Range
Calibration Flow Restrictor Rod – Transition Range
Calibration Flow Restrictor Rod – Transition Range
CFRERR CS \$3100

CFRERR CS \$3100

CFRERR CS \$3100

CFRERR LO \$825

CFRERR ME \$825

CFRERR HI \$825

CFRERR TR \$825

### Calibrated Restrictor - Technidyne PROFILE/Plus® PPS

Restrictor Complete Set of 4

Calibration Flow Restrictor Rod – Low Range
Calibration Flow Restrictor Rod – Medium Range
Calibration Flow Restrictor Rod – High Range
Calibration Flow Restrictor Rod – Transition Range
CFREPP TR \$825



#### Calibrated Restrictor - Technidyne PROFILE/Plus® Porosity

Restrictor Complete Set of 5

Calibration Flow Restrictor Rod – Zero Range
Calibration Flow Restrictor Rod – Low Range
Calibration Flow Restrictor Rod – Medium Range
Calibration Flow Restrictor Rod – High Range
Calibration Flow Restrictor Rod – Transition Range
CFRERP IS \$3825

CFRERP ZE \$825

CFRERP LO \$825

CFRERP ME \$825

CFRERP HI \$825

CFRERP TR \$825

#### **CALIPER**



### Certified Steel Gage Blocks (thickness standards)

 0.005" (5 MIL) Gage Block
 PACLASR0050
 \$200

 0.010" (10 MIL) Gage Block
 PACLASR0060
 \$200

 0.020" (20 MIL) Gage Block
 PACLASR0020
 \$200

 Additional sizes available upon request



### **RECERTIFICATION SERVICES**

Technidyne Reference Standards are designed to be durable and used many times over the course of a year, however they can become worn-out or otherwise change due to use and storage conditions. You should have your standards inspected, maintained and certified on a regular basis to keep your equipment running at its optimum. Technidyne Certificates for Reference Standards are valid for one year from the date of issue.

You must receive a Return Authorization (RA) from Technidyne before submitting your Reference Standards for service and recertification. Technidyne may refuse delivery of Reference Standards without a valid RA. Call (812) 948-2884 ext. 114.

<u>P/N</u>	<u>Price</u>
RCTECE25A	\$250 each
RCTEOP25A	\$250 each
RCIEGL44A	\$250 each
RCT7GL22A	\$325 each
RCT2GL22A	\$325 each
RCT9GL22A	\$475 each
RCCTCE22A	\$250 each
RCTECE12A	\$250 each
<u>P/N</u>	<u>Price</u>
RCRERPLOA	\$400 each
	RCTECE25A RCTEOP25A RCIEGL44A RCT7GL22A RCT2GL22A RCT9GL22A RCT9GL22A RCTCE22A RCTECE12A

TECHNIDYNE OFFERS CONTRACT TESTING SERVICES FOR MANY TAPPI, ISO AND ASTM OPTICAL PROPERTIES. CALL (812) 948-2884 EXT 114 FOR MORE INFORMATION AND PRICING.

# Technidyne will not accept orders without shipping charges added. Only add shipping once per order.

**PLACE YOUR ORDER at** 

www.Technidyne.com/shop

EMAIL: lab@technidyne.com

Phone: (812)948-2884

SALES QUOTES WILL BE PROVIDED UPON REQUEST. ALL INTERNATIONAL ORDERS REQUIRE A SALES QUOTE BEFORE PROCESSING. TECHNIDYNE REQUIRES CREDIT CARD PAYMENT OR A COPY OF PURCHASE ORDERS PRIOR TO PROCESSING YOUR ORDER. DELINQUENT ACCOUNTS WILL HAVE SHIPMENTS WITHHELD UNTIL PAYMENT HAS BEEN RECEIVED. SOME CUSTOMERS MAY BE REQUIRED TO SUBMIT PAYMENT PRIOR TO PROCESSING YOUR ORDER.

Technidyne Corp.

100 Quality Ave.

New Albany, IN USA (812)948-2884

www.technidyne.com